



The best homes leave a lasting impression.

# Build with the best to help protect the beauty of your home.

## TRUSTED PERFORMANCE WITH HARDIE® FIBER CEMENT

|                                               | HARDIE® SIDING | VINYL SIDING | WOOD-BASED SIDING |
|-----------------------------------------------|----------------|--------------|-------------------|
| Will not burn; noncombustible**               | ✓              | ⊗            | ⊗                 |
| Will not melt                                 | ✓              | ⊗            | ✓                 |
| Holds little appeal to pests                  | ✓              | ✓            | ⊗                 |
| Hail and impact resistant                     | ✓              | ⊗            | ✓                 |
| Resistant to warping, shrinking, and swelling | ✓              | ⊗            | ⊗                 |
| Easily painted                                | ✓              | ⊗            | ✓                 |
| Real wood look and feel                       | ✓              | ⊗            | ✓                 |

Warm woodgrain texture without the cost and high maintenance of real wood.

Up to 5x thicker than vinyl siding, providing authentic shadow lines and less visible seams.

ColorPlus® Technology finishes are baked on at the factory for a long-lasting consistent finish.

All Hardie® fiber cement products come with a transferable 30-year, non-prorated limited substrate warranty, meaning we stand 100% behind Hardie® fiber cement siding, trim and soffit products for 30 years.

ColorPlus® Technology finishes come with a 15-year limited warranty.

30-YEAR, NON-PRORATED SIDING, TRIM AND SOFFIT SUBSTRATE WARRANTY COVERAGE BY JAMES HARDIE



Scan to learn more about the lifetime value of Hardie® products.



# Unmatched performance & protection.



## Fire

Hardie® siding is made of noncombustible fiber cement that won't burn or ignite when exposed to a direct flame.

Listed for use in wildfire-prone Wilderness Urban interface (WUI) zones in the western US.

- Verified noncombustible per ASTM E136
- Will not contribute fuel to a fire
- Class A fire rated per ASTM E84, with a flame spread index / smoke developed index of less than 0/5
- Verified in wall assemblies with 1-hour and 2-hour fire-ratings per ASTM E119



## Water

Hardie® products are specifically engineered to resist damage from moisture and rot, and will hold their own, come rain, sleet, or snow.

- FEMA Class 5 flood damage resistance (highest rating)
- Rated for use in High Velocity Hurricane zones by Miami-Dade County, Florida\*

\*Applies to most products by James Hardie. For full list go to: [www.jameshardie.com/miami-dade-NOA](http://www.jameshardie.com/miami-dade-NOA)



## Pests

Creatures can wreak havoc on wood-based siding. It can be pecked by birds or be damaged by woodpeckers, termites and other pests. Hardie® fiber cement holds little appeal for these critters, saving you the maintenance hassle.



Watch our durability videos.



(from cover) \* Based on Freedonia Group, Global Siding (Cladding) Report (2025).  
\*\* Hardie® fiber cement products are noncombustible and/or have a Class A fire rating when tested in accordance with ASTM E84. Fiber cement fire resistance does not extend to applied paints or coatings, which may be damaged or char when exposed to flames. The use of noncombustible siding, combined with other fire mitigation measures, may help harden a home against external fire.

# Building a Better Future for All™.



At James Hardie, we pride ourselves on providing products that help craft more resilient, durable homes and buildings. Our commitment starts with our people, who are putting sustainability into action. Their relentless pursuit of innovation is helping to develop technology that lessens the impact of our products, reduces waste from our operations and recycles water used in our plants. At the same time, our people work hard to strengthen our supply chain, promote safety and contribute to our communities. From our front-line employees, to our customers, to the homeowners who enjoy our beautiful and durable products, sustainability and resilience are key components to fulfilling our purpose of **Building a Better Future for All™**.



Scan code to find out more about our sustainability efforts.

## SUPPORTING COMMUNITIES WORLDWIDE

We are developing resilient building solutions that do right by our shared planet as well as support communities where our products are used and where our team of more than 5,800 global employees live and work. From our employees to our senior leaders, everyone is empowered to drive change and impact in their communities. Our culture emphasizes thinking globally while acting locally.

## MAKING AN IMPACT

|                                                                                    |                                                                                      |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| <p>CONTRIBUTED</p> <p><b>\$1.65B</b></p> <p>To communities in which we operate</p> | <p>HIRED</p> <p><b>93%</b></p> <p>From the local communities in which we operate</p> |
| <p>SOURCED</p> <p><b>81%</b></p> <p>Of raw materials locally</p>                   | <p>DELIVERED</p> <p><b>65%</b></p> <p>Of manufactured products within 500 miles</p>  |

Above statistics are the James Hardie impact from fiscal year 2025.

## OUR FOUNDATION FOR BUILDING A BOLD AND BRIGHT FUTURE



**Reducing Scope 1+2 Emissions**  
Reduce absolute Scope 1+2 GHG emissions by 42% by 2030 from 2021 baseline and work towards net zero by 2050



**Minimizing Waste**  
Zero manufacturing waste to landfill by 2035



**Recycling Water**  
Recycle an additional 20M cubic feet of water per year by 2030, compared to 2019



# Hardie™ Zone System

EXTERIOR SOLUTIONS INSPIRED BY NATURE. AND DESIGNED TO PROTECT YOUR HOME FROM IT.

Only Hardie® fiber cement exterior products are Engineered for Climate®, designed specifically with your climate zone in mind for optimal performance. In the northern USA and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

Made from durable raw materials, Hardie® fiber cement products are Engineered for Climate®, offering both resiliency and lasting beauty.



Durability and protection you can trust.



Learn more about the resiliency of Hardie® siding.

# Hardie® Plank

From Victorians to Colonials, Hardie® Plank is the perfect siding for your style, and has the durability and long lasting beauty that can transform your home’s exterior. With a variety of colors, textures, and sizes, you’ll discover a Hardie® Plank style that transforms your home’s aesthetic.



Hardie® Plank  
Select Cedarmill®



Hardie® Plank  
Smooth

# Hardie® Panel

Hardie® Panel delivers style and substance. When combined with Hardie® Trim Batten, it achieves the rustic board-and-batten look that defines your charming cottage or modern farmhouse. Its crisp, clean lines and ability to pair beautifully with other siding products make Hardie® Panel a smart choice for the home of your dreams.



Hardie® Panel  
Select Cedarmill®



Hardie® Panel  
Smooth



Hardie® Panel  
Sierra 8

# Hardie® Shingle

Restore the look of your grand Cape Cod home or add distinction to your handsome bungalow. Hardie® Shingle embodies the enchanting look of cedar shingles with low maintenance. You can create your perfect exterior style using Hardie® Shingle around your entire home, or place it in accent areas for an added boost of charm you’ll love.

Better than the real thing, Hardie® Shingle resists rotting, curling, warping and splitting.




Hardie® Shingle  
Straight Edge Panel



Hardie® Shingle  
Staggered Edge Panel



# Hardie® Trim Batten



Hardie® Trim Batten  
Smooth




Hardie® Trim Batten  
Rustic Grain

# Hardie® Trim

Hardie® Trim provides design flexibility for columns, friezes, doors, windows and other accent areas. More durable than wood, Hardie® Trim is the perfect option for a long lasting home. Hardie® Trim is a low maintenance and durable accent for your exterior.



Hardie® Trim  
Rustic Gain




Hardie® Trim  
Smooth



Hardie® Plank Night Gray  
Hardie® Trim Arctic White

# Hardie® Soffit

A home is only as strong as its most vulnerable areas. With Hardie® Soffit panel, you can live confidently, knowing that the gap between eaves and exterior walls is covered. These panels complete your look and help protect it from moisture and pests.



Hardie® Soffit  
Non-Vented Smooth



Hardie® Soffit  
Vented Smooth



Hardie® Soffit  
Non-Vented  
Select Cedarmill®



Hardie® Soffit  
Vented  
Select Cedarmill®



Hardie® Soffit Vented Smooth  
Paper White

# Hardie® Artisan® Siding & Trim

Offering gorgeous, deep shadow lines and extra thick boards, Hardie® Artisan® Siding and Trim will set your home apart. The 5/8-inch thickness and unique features of Hardie® Artisan® siding provide precise fit and finish as well as the freedom to miter corners for attractive, streamlined styling.



Hardie® Artisan®  
V-Groove



Hardie® Artisan®  
Lap Siding

Hardie® Artisan®  
Trim



**MITERED CORNERS**  
Add sophistication to your design with mitered corners that can be crafted on-site with any Hardie® Artisan® Siding profile.




**LOCK JOINT SYSTEM**  
Hardie® Artisan® Siding flat wall profiles have a lock joint system that helps enable faster, cleaner installation.



**DESIGN FLEXIBILITY**  
Hardie® Artisan® Siding flat wall profiles can be oriented vertically, horizontally or used as soffit.

## Flat wall profiles



Lap Siding



Trim



Shiplap



Square Channel



V-Groove

All Hardie® Artisan® products come with a primed finish and a smooth texture.



# Hardie® Architectural Panel

Going from beyond wood-look designs, the clean lines of Hardie® Architectural Panel can help achieve a range of styles from traditional to more modern looks. Infuse your exterior with nature-inspired textures and stucco inspired designs. Mix and match with other Hardie® products to create a unique and beautiful exterior for your home.



**Sea Grass**  
Gentle, linear pattern with a dynamic finish



**Fine Sand**  
Even texture with a consistent finish

All Hardie® Architectural Panel products come with a primed finish.

## Hardie™ Architectural Metal Trim

| Transition Trim |                                       |                                                                             |
|-----------------|---------------------------------------|-----------------------------------------------------------------------------|
|                 | Low Profile Inside Corner Transition  | Use for transition from panel siding to lap siding on an inside corner.     |
|                 | 2-piece J Trim                        | Use at openings, edges of panels & at metal trim transitions.               |
|                 | Low Profile Outside Corner Transition | Use for transition from panel siding to lap siding on an outside corner.    |
|                 | J Trim                                | Use as a trim at abutments (e.g. soffit, masonry, windows, etc.).           |
|                 | Vertical Siding H-Mold Transition     | Cover vertical joints where you transition from panel siding to lap siding. |

| Joint & End Trim |                                   |                                      |
|------------------|-----------------------------------|--------------------------------------|
|                  | Vertical Y Trim                   | Use along vertical butt joints.      |
|                  | Vertical H Trim                   |                                      |
|                  | Vertical T Trim                   |                                      |
|                  | Low Profile Horizontal Z Trim     | Use along horizontal control joints. |
|                  | Horizontal Z Flashing Trim        |                                      |
|                  | Horizontal Angled T Flashing Trim |                                      |

| Corner Trim |                                     |                      |
|-------------|-------------------------------------|----------------------|
|             | Low Profile Inside Corner Trim      | Use for corners.     |
|             | Inside Corner Trim                  |                      |
|             | Low Profile Outside Corner Trim     |                      |
|             | Low Profile 45° Inside Corner Trim  | Use for bay windows. |
|             | Low Profile 45° Outside Corner Trim |                      |

| Base Trim |                         |                                |
|-----------|-------------------------|--------------------------------|
|           | Raised Reveal Base Trim | Reveal & ledge to rest panels. |
|           | L Base Trim             | Low profile starter strip.     |



# Take pride in timeless beauty.

## PRIMER

A quality primer is the first step to ensuring that the paint color you select expresses your home's true beauty now – and for years to come. Our distinctive primer is climate tested and engineered to enhance the performance of paint on Hardie® fiber cement exterior solutions. It helps to provide consistent, long lasting paint adhesion, even in demanding conditions.


## COLORPLUS® TECHNOLOGY

ColorPlus® Technology finishes are fully cured on our boards in a controlled factory environment and arrive at your home ready for installation year-round. With prefinished color products, you'll have peace of mind, knowing you'll have a more consistent color and finish that doesn't depend on good weather.

With a variety of design options available, whether different colors or our new two-tone finishes, ColorPlus® Technology finishes help you bring your vision to life and keep your home looking beautiful longer.

- **Exceptional finish adhesion**
- **Superior color retention**
- **Superior UV resistance**

Find the perfect finish for your home.



**Primed**



**Statement Collection®**



**Dream Collection®**

| ColorPlus® Technology Finishes         |                                        |                                                                                                                                                          |
|----------------------------------------|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Primed & ready to paint                | Your region's most popular colors      | Nearly 700 finish options                                                                                                                                |
| Regionally stocked & readily available | Regionally stocked & readily available | Made to order in a wide variety of siding & trim styles<br><small>(Made specifically for you, products may incur additional cost and lead time.)</small> |

Statement Collection®

HARDIE® PLANK, HARDIE® PANEL, HARDIE® SHINGLE & HARDIE® TRIM BATTEN



ARCTIC WHITE



COBBLE STONE



NAVAJO BEIGE



KHAKI BROWN




MONTEREY TAUPE



PEARL GRAY




TIMBER BARK



RICH ESPRESSO




MOUNTAIN SAGE




GRAY SLATE




LIGHT MIST



BOOTHBAY BLUE




NIGHT GRAY



EVENING BLUE



AGED PEWTER




IRON GRAY



COUNTRYLANE RED

HARDIE® TRIM



ARCTIC WHITE



COBBLE STONE




IRON GRAY




TIMBER BARK

HARDIE® SOFFIT



ARCTIC WHITE



Order samples at  
[jameshardie.com/samples](https://www.jameshardie.com/samples)

SOUTH ROCKIES & BOISE EXTERIOR PRODUCT AVAILABILITY

|  | Primed | Statement Collection® | Dream Collection® | Exposure | Primed Pcs/Pallet | ColorPlus® Pcs/Pallet | Pcs/Sq. |
|--|--------|-----------------------|-------------------|----------|-------------------|-----------------------|---------|
|--|--------|-----------------------|-------------------|----------|-------------------|-----------------------|---------|

Hardie® Plank Thickness 5/16 in.

|                   |    |   |    |           |     |     |      |
|-------------------|----|---|----|-----------|-----|-----|------|
| 12 ft. x 5.25 in. | ●● |   | ●● | 4 in.     | 360 | -   | 25.0 |
| 12 ft. x 6.25 in. | ●● |   | ●● | 5 in.     | 308 | 280 | 20.0 |
| 12 ft. x 7.25 in. | ●● |   | ●● | 6 in.     | 252 | -   | 16.7 |
| 12 ft. x 8.25 in. | ●● | ● | ●● | 7 in.     | 230 | 210 | 14.3 |
| 12 ft. x 9.25 in. | ●● |   |    | 8 in.     | 190 | -   | 12.5 |
| 12 ft. x 12 in.   | ●● |   |    | 10.75 in. | 152 | -   | 9.3  |

Hardie® Shingle - Straight Edge Panel Thickness 1/4 in.

|                    |   |   |   |       |    |    |      |
|--------------------|---|---|---|-------|----|----|------|
| 48 in. x 15.25 in. | ● | ● | ● | 7 in. | 86 | 86 | 43.0 |
|--------------------|---|---|---|-------|----|----|------|

Hardie® Shingle - Staggered Edge Panel Thickness 1/4 in.

|                    |   |   |   |       |     |     |      |
|--------------------|---|---|---|-------|-----|-----|------|
| 48 in. x 15.25 in. | ● | ● | ● | 6 in. | 100 | 100 | 50.0 |
|--------------------|---|---|---|-------|-----|-----|------|

Hardie® Panel Thickness 5/16 in.

|                |    |   |    |   |    |    |     |
|----------------|----|---|----|---|----|----|-----|
| 4 ft. x 8 ft.  | ●● |   | ●● | - | 50 | -  | 3.1 |
| 4 ft. x 9 ft.  | ●● |   |    | - | 50 | -  | 2.8 |
| 4 ft. x 10 ft. | ●● | ● | ●● | - | 50 | 50 | 2.5 |

Hardie® Panel - Sierra 8 Thickness 5/16 in.

|                |   |  |  |   |    |   |     |
|----------------|---|--|--|---|----|---|-----|
| 4 ft. x 8 ft.  | ● |  |  | - | 50 | - | 3.1 |
| 4 ft. x 9 ft.  | ● |  |  | - | 50 | - | 2.8 |
| 4 ft. x 10 ft. | ● |  |  | - | 50 | - | 2.5 |

|  | Primed | Statement Collection® | Dream Collection® | Primed Pcs/Pallet | ColorPlus® Pcs/Pallet | Pcs/Sq. |
|--|--------|-----------------------|-------------------|-------------------|-----------------------|---------|
|--|--------|-----------------------|-------------------|-------------------|-----------------------|---------|

4/4 Hardie® Trim Thickness 3/4 in.

|                    |    |  |  |     |   |      |
|--------------------|----|--|--|-----|---|------|
| 12 ft. x 3.5 in.   | ●● |  |  | 312 | - | 28.6 |
| 12 ft. x 5.5 in.   | ●● |  |  | 208 | - | 18.2 |
| 12 ft. x 7.25 in.  | ●● |  |  | 156 | - | 13.8 |
| 12 ft. x 9.25 in.  | ●● |  |  | 104 | - | 10.8 |
| 12 ft. x 11.25 in. | ●● |  |  | 104 | - | 8.9  |

5/4 Hardie® Trim Thickness 1 in.

|                    |    |   |  |     |     |      |
|--------------------|----|---|--|-----|-----|------|
| 12 ft. x 3.5 in.   | ●● | ● |  | 238 | 238 | 28.6 |
| 12 ft. x 5.5 in.   | ●● | ● |  | 136 | 160 | 18.2 |
| 12 ft. x 7.25 in.  | ●● | ● |  | 102 | 120 | 13.8 |
| 12 ft. x 9.25 in.  | ●● |   |  | 85  | -   | 10.8 |
| 12 ft. x 11.25 in. | ●● | ● |  | 68  | 80  | 8.9  |

Hardie® Trim Batten Thickness 3/4 in.

|                  |    |   |    |     |     |    |
|------------------|----|---|----|-----|-----|----|
| 12 ft. x 2.5 in. | ●● | ● | ●● | 437 | 190 | 40 |
|------------------|----|---|----|-----|-----|----|

Hardie® Soffit - Vented Thickness 1/4 in.

|                 |    |  |    |     |     |     |
|-----------------|----|--|----|-----|-----|-----|
| 12 ft. x 12 in. | ●● |  | ●● | 200 | 216 | 8.3 |
| 12 ft. x 16 in. | ●● |  | ●● | 150 | 156 | 6.3 |
| 8 ft. x 24 in.  | ●● |  | ●● | 100 | 108 | 6.3 |

Hardie® Soffit - Non-Vented Thickness 1/4 in.

|                 |    |  |    |     |   |     |
|-----------------|----|--|----|-----|---|-----|
| 12 ft. x 12 in. | ●● |  | ●● | 200 | - | 8.3 |
| 12 ft. x 16 in. | ●● |  | ●● | 150 | - | 6.3 |
| 8 ft. x 24 in.  | ●● |  | ●● | 100 | - | 6.3 |
| 8 ft. x 48 in.  | ●● |  |    | 50  | - | 3.1 |

Product Texture Key Smooth ● Textured ●



Colors shown are as accurate as printing methods will permit.

Hardie® Artisan® Siding

|  | Primed | Exposure | Pcs/Pallet | Pcs/Sq. |
|--|--------|----------|------------|---------|
|--|--------|----------|------------|---------|

Lap Siding - Thickness 5/8 in.

|                   |   |       |     |      |
|-------------------|---|-------|-----|------|
| 12 ft. x 7.25 in. | • | 6 in. | 144 | 16.7 |
| 12 ft. x 8.25 in. | • | 7 in. | 125 | 14.3 |

V-Groove - Thickness 5/8 in.

|                   |   |       |     |      |
|-------------------|---|-------|-----|------|
| 12 ft. x 8.25 in. | • | 7 in. | 126 | 14.3 |
|-------------------|---|-------|-----|------|

Shiplap - Thickness 5/8 in.

|                    |   |       |     |      |
|--------------------|---|-------|-----|------|
| 12 ft. x 10.25 in. | • | 9 in. | 105 | 11.1 |
|--------------------|---|-------|-----|------|

Square Channel - Thickness 5/8 in.

|                    |   |       |     |      |
|--------------------|---|-------|-----|------|
| 12 ft. x 10.25 in. | • | 9 in. | 105 | 11.1 |
|--------------------|---|-------|-----|------|

Trim - Thickness 1.5 in.

|                  |   |   |     |      |
|------------------|---|---|-----|------|
| 12 ft. x 3.5 in. | • | - | 192 | 28.6 |
| 12 ft. x 5.5 in. | • | - | 120 | 18.2 |

Hardie® Architectural Panel

|  | Primed | Pcs/Pallet | Pcs/Sq. |
|--|--------|------------|---------|
|--|--------|------------|---------|

Fine Sand - Thickness 5/16 in.

|                |   |    |     |
|----------------|---|----|-----|
| 4 ft. x 8 ft.  | • | 50 | 3.1 |
| 4 ft. x 10 ft. | • | 50 | 3.2 |
| 4 ft. x 12 ft. | • | 40 | 2.5 |

Sea Grass - Thickness 5/16 in.

|                |   |    |     |
|----------------|---|----|-----|
| 4 ft. x 8 ft.  | • | 50 | 3.1 |
| 4 ft. x 10 ft. | • | 50 | 3.2 |
| 4 ft. x 12 ft. | • | 40 | 2.5 |

All Hardie® Architectural Panels now have a flat edge.

Hardie™ Architectural Metal Trim - Length 10 ft

| Transition Trim                       | Qty |
|---------------------------------------|-----|
| J Trim                                | 25  |
| 2-piece J Trim                        | 25  |
| Low Profile Outside Corner Transition | 10  |
| Low Profile Inside Corner Transition  | 10  |
| Vertical H-Mold Transition            | 25  |
| Base Trim                             |     |
| Raised Reveal Base Trim               | 15  |
| L Base Trim                           | 25  |

| Joint & End Trim                  | Qty |
|-----------------------------------|-----|
| Vertical Y Trim                   | 15  |
| Vertical T Trim                   | 25  |
| Vertical H Trim                   | 25  |
| Low Profile Horizontal Z Trim     | 25  |
| Horizontal Z Flashing Trim        | 25  |
| Horizontal Angled T Flashing Trim | 25  |

| Corner Trim                         | Qty |
|-------------------------------------|-----|
| Inside Corner Trim                  | 10  |
| Low Profile 45° Inside Corner Trim  | 10  |
| Low Profile Inside Corner Trim      | 10  |
| Low Profile 45° Outside Corner Trim | 10  |
| Low Profile Outside Corner Trim     | 10  |

INSTALLATION ACCESSORIES



Touch-Up Kits for ColorPlus® Technology finishes



OSI® QUAD® MAX Color-Matched Caulk\*



Hardie™ Blade Saw Blades



PacTool® Gecko Gauge

Joint Flashing - Adding flashing behind butt joints provides an extra level of protection against the entry of water at the joint.

Hardie™ Trim Flat Tabs - Eliminate face nails and improve the aesthetic of trim applications around windows, doors and band boards.

Hardie™ Trim Corner Tabs - To eliminate face nail holes that would detract from the finished look of corner trim installations.



\*For matching Dream Collection® products, contact your local James Hardie representative. OSI, QUAD MAX, Diablo, PacTool and PacTool Gecko Gauge are trademarks of their respective owners.

Hardie® Backer Board

What goes behind the tile matters. Choose Hardie® Backer Board.


Every quality tile job should start with the best tile underlayment: the industry-defining fiber cement innovation, Hardie® Backer Board.

Chosen in over 40 million kitchens and bathrooms\*, it's the #1 best-selling tile backer board among trade pros\*\* for a reason. Hardie® Backer Board is the time-tested performance backer that resists cracking under pressure and keeps tile in place.




SUPERIOR STRENGTH

Provides support under pressure and weight.



EXCELLENT GRIP

Keeps tiles in place.



MOISTURE RESISTANT

Helps inhibit water intrusion and engineered with MoldBlock® Technology.

Hardie® Backer Board Products



Hardie® Backer Cement Board with EZ Grid® recessed pattern .25 in.

Ideal for Floors and Countertops

.25 in. Thick | 3 ft. x 5 ft.

.25 in. Thick | 4 ft. x 8 ft.



Hardie® Backer Cement Board .42 in.

Ideal for Walls and Backsplashes

.42 in. Thick | 3 ft. x 5 ft.



\* Estimate based on Hardie® Backer sales volume and average tile area in a kitchen or bathroom. \*\* Based on 2024 Principia survey of backer board sales. remodel project (Principia, 2025).



# Bring your vision to life.

HARDIE™ DESIGNER,  
POWERED BY HOVER®

See how beautifully things can come together with the Hardie™ Designer, powered by Hover®. Using just one photo of your exterior, you can instantly visualize your home in a variety of architectural styles and product designs.



**Start Your Design**



What The Best Are Made Of™

1.888.542.7343

jameshardie.com